

# Notice of Allowability

Application No.

09/955,659

Examiner

Ryan A. Jarrett

Applicant(s)

SULFSTEDE, LOUIS E.

Art Unit

2125

— The MAILING DATE of this communication appears on the cover sheet with the correspondence address—

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 4/5/04.
2. ☒ The allowed claim(s) is/are 1-4 and 6-20.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All b) ☐ Some\* c) ☐ None of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 3.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

*Albert W. Paladini*  
ALBERT W. PALADINI  
PRIMARY EXAMINER

## **DETAILED ACTION**

### ***Drawings***

1. In order to avoid abandonment, the drawing informalities noted in Paper No. 3, mailed on 12/9/03, must now be corrected. Correction can only be effected in the manner set forth in the above noted paper.

### ***Allowable Subject Matter***

2. Claims 1-4 and 6-20 are allowed.
3. The following is an examiner's statement of reasons for allowance:

Applicant has amended independent claims 1, 18, and 20 to recite that the portable diagnostic apparatus both controls a plurality of control parameters associated with an electronically-driven motor of the HVAC system and monitors a plurality of performance characteristics associated with the electronically-driven motor of the HVAC system.

The prior art fails to teach or fairly suggest this feature, in combination with the remaining features and elements of the claimed invention. The portable, hand-held control module of Key et al. controls and monitors various aspects of an HVAC system. However, there is no teaching in Key et al. that the controlled and monitored parameters are specifically associated with the motor of the HVAC system. For example, the Applicant monitors the operating speed of the motor and the threshold voltages of the

Art Unit: 2125

motor. Similarly, Wills lacks this feature as well. Wills does teach that the portable diagnostic system can control or activate the compressor, but there is no teaching in Wills of a monitoring specific motor operating parameters.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### ***Conclusion***

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan A. Jarrett whose telephone number is (703) 308-4739. The examiner can normally be reached on 10:00-6:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard can be reached on (703) 308-0538. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2125

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ryan A. Jarrett  
Examiner  
Art Unit 2125

5/28/04

  
ALBERT W. PALADINI  
PRIMARY EXAMINER